
proll_employee
id INT(9)
loginname VARCHAR(100)
pass_word VARCHAR(100)
e_pass_word VARCHAR(50)
status TINYINT(1)
job_status TINYINT(1)
dept_id INT(11)
department_id INT(11)
reporting_to_id INT(11)
second_reporting_to_id INT(11)
sub_department_level1_id INT(11)
sub_department_level2_id INT(11)
default_shift_id INT(11)
applyed_roster TINYINT(1)
shift_id INT(11)
weekend_day_id TINYINT(1)
name_salute VARCHAR(10)
picture VARCHAR(255)
micro_picture VARCHAR(255)
name VARCHAR(100)
f_hname VARCHAR(100)
father_occupation VARCHAR(100)
father_dob DATE
cnic VARCHAR(20)
empcode VARCHAR(100)
hrms_id INT(11)
unique_position_id INT(11)
cid INT(9)
doj VARCHAR(12)
date_of_rejection DATE
99 more...
Indexes
proll_employee_info
id INT(11)
sub_department_level1_id INT(11)
sub_department_level2_id INT(11)
shift_id INT(11)
weekend_day_id TINYINT(1)
father_occupation VARCHAR(100)
father_dob DATE
hrms_id INT(11)
unique_position_id INT(11)
date_of_rejection DATE
hr_email_id INT(11)
hom_address TEXT
postalcode VARCHAR(20)
country INT(9)
second_nationality_id INT(11)
domicile_country_id INT(11)
domicile_city_id INT(11)
religion_id INT(11)
cast VARCHAR(20)
city VARCHAR(100)
location VARCHAR(50)
hom_phone VARCHAR(20)
cell_number VARCHAR(20)
m_status VARCHAR(50)
no_of_dependants INT(11)
fs_report VARCHAR(200)
reason TEXT
imp_id INT(10)
fs_status INT(1)
birth_country_id INT(11)
61 more...
Indexes
proll_client
id INT(9)
imp_id INT(10)
group_id INT(11)
user_name VARCHAR(100)
pass_word VARCHAR(100)
e_pass_word VARCHAR(50)
companyname VARCHAR(100)
off_address TEXT
postalcode VARCHAR(20)
country INT(9)
city_id INT(11)
city VARCHAR(100)
name_salute VARCHAR(10)
auth_repre_name VARCHAR(100)
empcode VARCHAR(100)
designation VARCHAR(100)
off_phone VARCHAR(20)
cell_number VARCHAR(20)
status TINYINT(1)
company_disclaimer TEXT
company_url VARCHAR(255)
company_email VARCHAR(100)
fiscal_year_start DATE
fiscal_year_end DATE
sales_tax_number VARCHAR(25)
registration_number VARCHAR(25)
business_type_id INT(11)
legal_status_id INT(11)
logo VARCHAR(255)
loggedin DATETIME
11 more...
Indexes
proll_client_assist
id INT(9)
cid INT(9)
imp_id INT(10)
emp_id INT(11)
access_role INT(11)
user_name VARCHAR(100)
pass_word VARCHAR(100)
e_pass_word VARCHAR(255)
companyname VARCHAR(100)
off_address TEXT
postalcode VARCHAR(20)
country INT(9)
city VARCHAR(100)
name_salute VARCHAR(10)
auth_repre_name VARCHAR(100)
empcode VARCHAR(100)
designation VARCHAR(100)
off_phone VARCHAR(20)
cell_number VARCHAR(20)
status TINYINT(1)
company_disclaimer TEXT
company_url VARCHAR(255)
logo VARCHAR(255)
loggedin DATETIME
alt_email VARCHAR(255)
header_file VARCHAR(100)
footer_file VARCHAR(100)
bg_img VARCHAR(50)
bg_color VARCHAR(10)
role_id INT(11)
5 more...
Indexes
proll_department_managers
id INT(11)
empid INT(11)
line_manager VARCHAR(60)
parent_reporting_lm INT(11)
department_hierarchy_id INT(11)
loc_id INT(11)
cid INT(11)
status INT(11)
email VARCHAR(100)
password VARCHAR(255)
imp_id INT(10)
dep_code VARCHAR(50)
department_region_id INT(11)
department_group3_id INT(11)
department VARCHAR(100)
dep_description TEXT
e_password VARCHAR(50)
loggedin DATETIME
bg_img VARCHAR(50)
bg_color VARCHAR(10)
CompWideStatus ENUM('Yes', 'No')
empcode INT(11)
nielsenempcode VARCHAR(50)
department_name_editable TINYINT(1)
created_by INT(11)
updated_by INT(11)
created_date DATETIME
updated_date DATETIME
department_group_heirarchy_id INT(10)
user_id INT(11)
2 more...
Indexes
department_hierarchy
id INT(11)
department_name VARCHAR(100)
reporting_department_id INT(11)
type CHAR(20)
department_group3_id INT(11)
dep_code INT(11)
country_id INT(11)
cid INT(11)
dep_description VARCHAR(50)
status INT(11)
created_by INT(11)
updated_by INT(11)
created_at DATETIME
updated_at DATETIME
department_group_heirarchy_id INT(10)
Indexes
proll_client_designation
designation_id INT(11)
designation_name VARCHAR(100)
designation_description VARCHAR(255)
country_id INT(11)
cid INT(11)
status CHAR(1)
created_by INT(11)
created_date DATETIME
modified_by INT(11)
modified_date DATETIME
Indexes
approval_config_detail
id INT(11)
cid INT(11)
group_id INT(11)
approval_config_id INT(11)
approval_type CHAR(15)
department_id INT(11)
branch_id INT(11)
level_count TINYINT(4)
min_approval TINYINT(4)
deleted TINYINT(4)
Indexes
approval_config
id INT(11)
cid INT(11)
module_id INT(11)
role_id INT(11)
portal_id INT(11)
desingation_id INT(11)
configuration_type ENUM(...)
level_count TINYINT(4)
approval_type CHAR(10)
reporting_column_sequence CHAR(100)
status TINYINT(4)
created_by INT(11)
updated_by INT(11)
created_at DATETIME
updated_at TIMESTAMP
Indexes
menu
id INT(255)
menu_title VARCHAR(50)
parent_id INT(255)
menu_order TINYINT(5)
menu_type_id INT(255)
level TINYINT(4)
client_id INT(255)
icon VARCHAR(50)
img VARCHAR(50)
page_menu_title VARCHAR(50)
created_by INT(255)
updated_at DATETIME
created_at DATETIME
Indexes
group_role_menu
id INT(11)
menus_id INT(11)
group_role_id INT(11)
component_name VARCHAR(80)
file_name VARCHAR(80)
description VARCHAR(300)
delete VARCHAR(45)
right VARCHAR(45)
update VARCHAR(45)
view VARCHAR(45)
portal_type VARCHAR(45)
status INT(11)
Indexes
approval_config_department
id INT(11)
approval_role_config_id INT(11)
cid INT(11)
department_id INT(11)
can_approve INT(11)
Indexes
approval_config_branc...
id INT(11)
approval_role_config_id INT(11)
branch_id INT(11)
department_id INT(11)
can_approve INT(11)
Indexes
proll_reference_data
id INT(11)
cid INT(11)
ref_id INT(50)
reference_key INT(11)
description VARCHAR(100)
sort_order INT(2)
status INT(1)
created_by INT(11)
created_date DATETIME
modified_by INT(11)
modified_date DATETIME
reference_data_id INT(11)
emportal TINYINT(1)
lmportal TINYINT(1)
hrportal TINYINT(1)
allow_edit INT(1)
allow_delete INT(1)
system_ind INT(11)
allow_add INT(1)
Indexes
proll_reference_data_code
ref_id INT(11)
reference_code VARCHAR(50)
cid INT(11)
Indexes
countries
country_id INT(11)
country VARCHAR(150)
country_code VARCHAR(10)
display TINYINT(1)
currency VARCHAR(10)
countryid INT(11)
capital_city VARCHAR(100)
continent_id INT(11)
n INT(11)
Indexes
city
id INT(11)
city_name VARCHAR(100)
country_code VARCHAR(20)
district VARCHAR(50)
population VARCHAR(50)
Indexes
continents
continent_id INT(11)
continent_name VARCHAR(50)
continent_description VARCHAR(255)
created_by INT(11)
updated_by INT(11)
created_date DATETIME
updated_date DATETIME
Indexes
geo_groups
id INT(11)
label VARCHAR(50)
field_name VARCHAR(50)
parent_id INT(11)
created_at DATETIME
updated_at DATETIME
Indexes
groups
group_id INT(9)
groupTitle VARCHAR(150)
group_type CHAR(3)
group_logo VARCHAR(150)
menu_script VARCHAR(150)
seqno INT(9)
group_abbreviation VARCHAR(150)
group_desc VARCHAR(150)
created_at DATETIME
updated_at DATETIME
Indexes
menu_type
id INT(255)
menu_type VARCHAR(100)
created_by INT(255)
created_at DATETIME
updated_at DATETIME
Indexes
employee_bands
id INT(11)
band_desc VARCHAR(50)
band_description VARCHAR(255)
clientId INT(11)
unified_band DOUBLE
band_status TINYINT(1)
created_by INT(11)
updated_by INT(11)
created_date DATETIME
updated_date DATETIME
Indexes
roles
id INT(11)
name VARCHAR(150)
cid INT(11)
role VARCHAR(50)
status INT(11)
Indexes
portal_roles
id INT(11)
portal_id TINYINT(4)
role_id INT(11)
app_view_config TINYINT(4)
Indexes
HR,LM,E,etc